



PRODUCT CATALOG



**INTENTIONALLY LEFT BLANK
FOR TWO-PAGE VIEWING**

EVERYTHING YOU NEED

TO ENJOY THE ROAD AHEAD

CURT
curtmfg.com

**RANCH
HAND**
ranchhand.com

ARIES
ariesautomotive.com

LUVERNE
luvernetruck.com

UWS
uwsta.com

RETRAC
retracmirrors.com



Lippert is a leading, global manufacturer and supplier of highly engineered products and customized solutions dedicated to shaping, growing, and bettering the RV, marine, automotive, commercial vehicle, and building products industries. We combine our strategic manufacturing capabilities with the power of our winning team culture to deliver unrivaled customer service, award-winning innovation, and premium products to every industry and person we serve.



BUSINESS AS A FORCE FOR GOOD



Learn
how we're
making a
difference

OUR VISION: TO BE A FORCE FOR GOOD IN THE WORLD

Since 2016, Lippert has focused on designing a cultural foundation from which our success is based, and it stems from one simple driving force: At Lippert, Everyone Matters. From the shop floor to the C-suite, we simply care about people. Our culture is grounded in our five core values that we practice in our business every day.



OVER EIGHT YEARS OF IMPACT



2,000+
non-profits served



1,000,000+
volunteer hours



\$2,000,000+
annually donated to charity





ROOTED IN TRADES

At Lippert, we know **skilled trades** are the backbone of our industry. Welders, fabricators, machinists, and mechanics keep everything moving.

But today, we face a skills gap crisis. More tradespeople are leaving than entering the field, and the gap continues to grow. Without them, manufacturers can't build, dealers can't serve, and consumers can't get what they need.

HOW WE ARE BRIDGING THE GAP





Scan to see
the impossible




IMPOSSIBLY STRONG.

RIGIDCORE™ TECHNOLOGY

HIGH-STRENGTH, FOAM-FILLED LID

RigidCore™ is a patented technology built into the lid of UWS tool boxes. The lid is filled with a hardening, expanding foam material, sandwiched between two aluminum plates. As it hardens, the foam and plates create a solid structure. Hidden from view, RigidCore™ technology greatly enhances the lid strength, far beyond that of a traditional tool box.

THE RIGIDCORE™ ADVANTAGE



Foam-filled lid greatly enhances strength and overall structural integrity while preventing warping



The rigidity of the lid makes it highly resistant to binding and ensures smooth opening and closing of the tool box



RigidCore technology is completely integrated into the tool box lid and is undetectable from the outside for a seamless, streamlined look



 **UWS**

BRAND 'X'



NEW

PUSH-BUTTON TOOL BOXES

12



NEW

QUICK DRAW™ TOOL BOX

62



Scan QR code to
see how we take
care of shipping!



HEAVY-DUTY PACKAGING
PARCEL SHIPPING OPTIONS

92

TABLE OF CONTENTS

CROSSOVER TRUCK BOXES

Multiple sizes and styles, tie downs

08 - 27

UTILITY CHEST BOXES

Notched, wedged, 5th wheel, under tonneau, trailer tongue, totes

28 - 43

UTV & ATV BOXES

UTV crossover, UTV side mount, ATV tool boxes

44 - 49

SIDE MOUNT BOXES

Topside, truck side, truck fender, underbody, adjustable legs

50 - 59

DRAWER BOXES

Quick Draw™, Utility chest with drawers, drawer boxes, fender boxes

60 - 67

TRANSFER TANKS

Combo, L-shaped, rectangular, hammerhead-style

68 - 79

DOG BOXES

Northern, southern, one-door, two-door, accessories box

80 - 85

ACCESSORIES

Cargo carrier, tote boxes, replacement parts, heavy-duty packaging

86 - 93

MARKETING SUPPORT

Literature, catalog, banner, retail signage, display stand

94 - 95



Scan QR code for
instructions on
measuring a truck
bed for a tool box
or transfer tank



CROSSOVER TRUCK TOOL BOXES

FEATURED PRODUCTS

Scan QR code for current applications or visit uwsta.com/application-guides



Push-button tool boxes

Push-button crossover tool boxes feature an extra-large QuickStrike™ push button for instant access from either side of the truck.



Secure Lock boxes

Secure Lock boxes have unique dual-locking handles for maximum security, as well as a removable BedRug™ liner for easy cleaning.



Crossover box tie downs

Tie-down side rails integrate with your existing tool box to provide a sturdy anchor for additional cargo.

PRODUCT INDEX



10

Crossover Box
Overview



12

Push-Button
Boxes



14

Secure Lock
Boxes



16

Pull Handle
Boxes



18

Gull Wing
Boxes



20

Slim-Line
Boxes



22

Extra-Wide
Boxes



24

Standard
Boxes



25

Tie
Downs

CROSSOVER TRUCK TOOL BOXES



Product Details

- Patented RigidCore™ foam-filled lid maximizes strength and prevents binding
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- Stainless steel lock handles for security and corrosion-resistant operation
- Connecting rod allows for convenient operation from driver or passenger side
- Widespread handles are easy to reach from either side of the truck
- Interior rod enclosure helps prevent bending or jamming of lock system
- Lid self-opens for convenient operation and loading (Secure Lock is self-closing)
- Built-in screwdriver holders for easy organization (select models)
- Multiple box sizes available for a custom fit on each truck application
- Easy to install with pre-drilled mounting slots and included hardware
- Multiple styles available, see the product index on page 11 for details



Scan for current applications
or visit uwsta.com



TBS-60

TBS-60-BLK

Finishes & Materials



Finish:
Bright
aluminum

Material:
0.058"
aluminum



Finish:
Gloss
black


Material:
0.058"
aluminum



Finish:
Matte
black

Material:
0.058"
aluminum

Strong. Sturdy. Dependable.



Patented RigidCore foam-filled lid maximizes strength and prevents binding



MicroSeal gasket helps seal out moisture, dust, and dirt



Sliding tray and built-in tool trays for convenient storage and retrieval

CROSSOVER BOX CONFIGURATION OPTIONS

Most boxes are available with a combination of the options listed below.

Profile Options

Standard



Top portion of the tool box overhangs the bed rails to maximize space (pgs 18, 20, 22, 24)


Low



Built lower on the bed rail for a better view out the rear window (pgs 14, 16, 20, 24)

Handle Options

Push Button




Push button allows for convenient operation from either side of vehicle (pg 12)

Secure Lock



Easy-to-operate, dual-locking twist handles for strength and security (pg 14)

Pull / Paddle



Pull handles provide easy clearance (pg 16)
Standard paddle handles pull outward (pgs 18, 20, 22, 24)

Lid Options

Single



Standard lid type for most of our tool boxes; opened facing the truck bed (pgs 12, 14, 16, 20, 22, 24)

Gull Wing



Features two single lids for convenient half-box access (pg 18)

Lid Rail



7/8" lid rail provides a reliable anchor for tying down cargo on top (pgs 14, 24)

Tie Downs



Add-on accessory fits most crossover boxes (pg 25)


Tub Options

Standard




Tub type for most of our tool boxes, featuring a rectangular shape (pgs 12, 14, 16, 18, 20, 22, 24)

Deep



Built extra-tall for max space; available with other tub options (pgs 12, 14, 18, 20, 22, 24)

Angled



Accommodates unique bed sizes and wheel well shapes (pgs 12, 14, 24)

Slim-Line



Designed for mid-sized trucks with limited space in front of the wheel wells (pg 20)

Extra-Wide



Extra box width provides maximum storage area for tools and equipment (pg 22)

PUSH-BUTTON CROSSOVER BOXES

NEW



Key Features

- Extra-large, weather-resistant push button with keyed-alike locks for easy access
- QuickStrike™ push button allows for convenient operation from driver or passenger side
- Front tie-downs for securing cargo with straps
- Removable BedRug™ liner protects tools, reduces noise, and allows for easy cleaning
- See page 10 for a full list of product details



Scan for current applications
or visit uwsta.com



TBSD-69-PB



TBSD-72-A-PB-MB




Finishes & Material



Finish:
Bright
aluminum
Material:
0.058"
aluminum



Finish:
Matte
black
Material:
0.058"
aluminum



Part #	Profile	Finish	Angled	Rail	Cu. Ft.	Dimensions (inches)							
						L	L1	L2	W	W1	H	H1	H2
TBSD-69-PB	Standard	Bright alum.	No	No	12.4	70	59	--	20	17	20.75	15	--
TBSD-69-PB-MB	Standard	Matte black	No	No	12.4	70	59	--	20	17	20.75	15	--
TBSD-72-A-PB	Standard	Bright alum.	Yes	No	12.6	73	62	56	20	17	20.75	15	12
TBSD-72-A-PB-MB	Standard	Matte Black	Yes	No	12.6	73	62	56	20	17	20.75	15	12



SECURE LOCK CROSSOVER BOXES



Key Features

- Easy-to-operate, dual-locking twist handles offer strength and maximum security
- Removable BedRug™ liner protects tools, reduces noise, and allows for easy cleaning
- See page 10 for a full list of product details



Scan for current applications
or visit uwsta.com



SL-69-LP-MB-R



SL-63-A-LP



SL-72-LP



SLD-69-A-LP-MB

Finishes & Material



Finish:
Bright
aluminum

Material:
0.058"
aluminum



Finish:
Gloss
black

Material:
0.058"
aluminum




Finish:
Matte
black

Material:
0.058"
aluminum



Removable
BedRug™ liner



Part #	Profile	Finish	Angled	Rail	Cu. Feet	Dimensions (inches)							
						L	L1	L2	W	W1	H	H1	H2
Standard Tub													
SL-63-A-LP*	Low	Bright alum.	Yes	No	7	64	53	38.75	20	17	14.75	11.75	3.25
SL-63-A-LP-MB*	Low	Matte black	Yes	No	7	64	53	38.75	20	17	14.75	11.75	3.25
SL-69-LP	Low	Bright alum.	No	No	8.4	70	59	--	20	17	14.5	11.75	--
SL-69-LP-BLK	Low	Gloss black	No	No	8.4	70	59	--	20	17	14.5	11.75	--
SL-69-LP-MB	Low	Matte black	No	No	8.4	70	59	--	20	17	14.5	11.75	--
SL-69-LP-R	Low	Bright alum.	No	Yes	8.4	70	59	--	20	17	16.5	11.75	--
SL-69-LP-BLK-R	Low	Gloss black	No	No	8.4	70	59	--	20	17	14.5	11.75	--
SL-69-LP-MB-R	Low	Matte black	No	Yes	8.4	70	59	--	20	17	16.5	11.75	--
SL-72-LP	Low	Bright alum.	No	No	8.6	73	62	--	20	17	14.5	11.75	--
SL-72-LP-BLK	Low	Gloss black	No	No	8.6	73	62	--	20	17	14.5	11.75	--
SL-72-LP-MB	Low	Matte black	No	No	8.6	73	62	--	20	17	14.5	11.75	--
SL-72-LP-R	Low	Bright alum.	No	Yes	8.6	73	62	--	20	17	16.5	11.75	--
SL-72-LP-BLK-R	Low	Gloss black	No	No	8.6	73	62	--	20	17	14.5	11.75	--
SL-72-LP-MB-R	Low	Matte black	No	Yes	8.6	73	62	--	20	17	16.5	11.75	--
Deep Tub													
SLD-69-A-LP*	Low	Bright alum.	Yes	No	10	70	59	46	20	17	18.75	16	4.5
SLD-69-A-LP-MB*	Low	Matte black	Yes	No	10	70	59	46	20	17	18.75	16	4.5
SLD-69-A-LP-BLK*	Low	Gloss Black	Yes	No	10	70	59	46	20	17	18.75	16	4.5
SLD69-A-LP-MB-R*	Low	Matte black	Yes	Yes	10	70	59	46	20	17	20.75	16	4.5

* Built-in screwdriver holder not included

PULL HANDLE CROSSOVER BOXES



Key Features

- Stainless steel pull handles provide more clearance for easier opening
- Built lower on the bed rail for a better view out the rear window
- See page 10 for a full list of product details



Scan for current applications
or visit uwsta.com



Finishes & Material





Finish:
Bright
aluminum
Material:
0.058"
aluminum





Finish:
Gloss
black
Material:
0.058"
aluminum



Finish:
Matte
black
Material:
0.058"
aluminum



Part #	Profile	Finish	Angled	Rail	Cubic Feet	Dimensions (inches)					
						L	L1	W	W1	H	H1
Standard Tub											
TBS-69-LP-PH	Low	Bright aluminum	No	No	8.4	70	59	20	17	14.5	11.75
TBS-69-LP-PH-B	Low	Gloss black	No	No	8.4	70	59	20	17	14.5	11.75
TBS-69-LP-PH-MB	Low	Matte black	No	No	8.4	70	59	20	17	14.5	11.75
TBS-72-LP-PH	Low	Bright aluminum	No	No	8.6	73	62	20	17	14.5	11.75
TBS-72-LP-PH-B	Low	Gloss black	No	No	8.6	73	62	20	17	14.5	11.75
TBS-72-LP-PH-MB	Low	Matte black	No	No	8.6	73	62	20	17	14.5	11.75



GULL WING CROSSOVER BOXES



Key Features

- Two lids with locking handles provide secure, half-box access
- Patented RigidCore™ foam-filled lid maximizes strength and prevents binding
- See page 10 for a full list of product details



Scan for current applications or visit uwsta.com




Finish & Material



Finish:
Bright aluminum

Material:
0.058" aluminum



Part #	Profile	Finish	Angled	Rail	Cubic Feet	Dimensions (inches)					
						L	L1	W	W1	H	H1
Standard Tub											
TB-60	Standard	Bright aluminum	No	No	7.3	61	50	20	17	14.75	9
TB-63	Standard	Bright aluminum	No	No	8	64	53	20	17	14.75	9
TB-69	Standard	Bright aluminum	No	No	8.5	70	59	20	17	14.75	9
TB-72	Standard	Bright aluminum	No	No	9	73	62	20	17	14.75	9
Deep Tub											
TBD-69	Standard	Bright aluminum	No	No	12.4	70	59	20	17	20.5	15
TBD-72	Standard	Bright aluminum	No	No	12.7	73	62	20	17	20.5	15



SLIM-LINE CROSSOVER BOXES



Key Features

- Designed for truck beds with limited space in front of the wheel wells
- Patented RigidCore™ foam-filled lid maximizes strength and prevents binding
- See page 10 for a full list of product details



Scan for current applications
or visit uwsta.com




Finishes & Material



Finish:
Bright
aluminum
Material:
0.058"
aluminum



Finish:
Gloss
black
Material:
0.058"
aluminum



Part #	Profile	Finish	Angled	Rail	Cubic Feet	Dimensions (inches)					
						L	L1	W	W1	H	H1
Standard Tub											
TBS-60-SL	Standard	Bright aluminum	No	No	3.2	61	50	12.75	9.75	10.5	4.75
TBS-60-SL-BLK	Standard	Gloss black	No	No	3.2	61	50	12.75	9.75	10.5	4.75
TBS-63-SL	Standard	Bright aluminum	No	No	3.4	64	53	12.75	9.75	10.5	4.75
TBS-63-SL-LP	Low	Bright aluminum	No	No	5.7	64	53	12.75	9.75	10.5	7.25
TBS-63-SL-BLK	Standard	Gloss black	No	No	3.4	64	53	12.75	9.75	10.5	4.75
TBS-63-SL-LP-B	Low	Gloss black	No	No	5.7	64	53	12.75	9.75	10.5	7.25
TBS-69-SL	Standard	Bright aluminum	No	No	3.8	70	59	12.75	9.75	10.5	4.75
TBS-69-SL-LP	Low	Bright aluminum	No	No	3.5	70	59	12.75	9.75	10.5	7.5
TBS-69-SL-BLK	Standard	Gloss black	No	No	3.8	70	59	12.75	9.75	10.5	4.75
TBS-69-SL-LP-B	Low	Gloss black	No	No	3.5	70	59	12.75	9.75	10.5	7.5
TBS-72-SL	Standard	Bright aluminum	No	No	3.9	73	62	12.75	9.75	10.5	4.75
TBS-72-SL-BLK	Standard	Gloss black	No	No	3.9	73	62	12.75	9.75	10.5	4.75
Deep Tub											
TBSD-69-SL	Standard	Bright aluminum	No	No	6.4	70	59	12.75	9.75	18.5	12.5
TBSD-69-SL-LP	Low	Bright aluminum	No	No	6.1	70	59	12.75	9.75	18.5	15.5
TBSD-69-SL-BLK	Standard	Gloss black	No	No	6.4	70	59	12.75	9.75	18.5	12.5
TBSD-69-SL-LP-B	Low	Gloss black	No	No	6.1	70	59	12.75	9.75	18.5	15.5
TBSD-72-SL-LP	Low	Bright aluminum	No	No	6.5	73	62	12.75	9.75	18.5	15.5
TBSD-72-SL-LP-B	Low	Gloss black	No	No	6.5	73	62	12.75	9.75	18.5	15.5



EXTRA-WIDE CROSSOVER BOXES



Key Features

- Extra box width provides maximum storage area for tools and equipment
- Patented RigidCore™ foam-filled lid maximizes strength and prevents binding
- See page 10 for a full list of product details



Scan for current applications
or visit uwsta.com



Finishes & Material





Finish:
Bright
aluminum

Material:
0.058"
aluminum



Finish:
Gloss
black

Material:
0.058"
aluminum



Part #	Profile	Finish	Angled	Rail	Cubic Feet	Dimensions (inches)					
						L	L1	W	W1	H	H1
Standard Tub											
TBS-69-LBTA	Standard	Bright aluminum	No	No	12.2	70	59	28.25	25.25	14	8.5
TBS-69-LBTA-BLK	Standard	Gloss black	No	No	12.2	70	59	28.25	25.25	14	8.5
TBS-72-LBTA	Standard	Bright aluminum	No	No	12.7	73	62	28.25	25.25	14	8.5
TBS-72-LBTA-BLK	Standard	Gloss black	No	No	12.7	73	62	28.25	25.25	14	8.5
Deep Tub											
TBSD-69-LBTA	Standard	Bright aluminum	No	No	16.7	70	59	28.25	25.25	19	13.25
TBSD-69-LBTA-B	Standard	Gloss black	No	No	16.7	70	59	28.25	25.25	19	13.25
TBSD-72-LBTA	Standard	Bright aluminum	No	No	17.1	73	62	28.25	25.25	19	13.25
TBSD-72-LBTA-B	Standard	Gloss black	No	No	17.1	73	62	28.25	25.25	19	13.25



STANDARD CROSSOVER BOXES



Key Features

- Patented RigidCore™ foam-filled lid maximizes strength and prevents binding
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- See page 10 for a full list of product details



Scan for current applications
or visit uwsta.com

See page 26 for
products and dimensions



TBSD-60A-BLK



TBS-69-LP-R



TBS-69



TBS-69-LP-MB

Finishes & Material



Finish:
Bright
aluminum

Material:
0.058"
aluminum



Finish:
Gloss
black

Material:
0.058"
aluminum



Finish:
Matte
black


Material:
0.058"
aluminum



CROSSOVER BOX TIE DOWNS

Key Features

- Integrated tie-down rails for enhanced cargo management and security
- Robust look and feel to set your truck tool box apart
- Black UV-stabilized, glass-filled nylon construction
- Great add-on upgrade for an existing tool box



UWS-TBTD

Part #	Capacity	Dimensions (inches)		
		L	W	H
UWS-TBTD	50 lbs.	18.125"	2.75"	3.5"



Mounts onto any standard crossover box to provide a stable anchor point to secure cargo

STANDARD CROSSOVER BOXES



Scan for current applications
or visit uwsta.com




TBS-69-MB



TBS-69-A-LP-BLK



TBS-69-LP-R



Part #	Profile	Finish	Angled	Rail	Cu. Ft.	Dimensions (inches)							
						L	L1	L2	W	W1	H	H1	H2
Standard Tub													
TBS-54	Standard	Bright alum.	No	No	6.9	55	44	--	20	17	14.75	9	--
TBS-54-LP	Low	Bright alum.	No	No	6.3	55	44	--	20	17	14.75	11.75	--
TBS-54-BLK	Standard	Gloss black	No	No	6.9	55	44	--	20	17	14.75	9	--
TBS-54-LP-BLK	Low	Gloss black	No	No	6.3	55	44	--	20	17	14.75	11.75	--
TBS-58-LP	Low	Bright alum.	No	No	6.6	59	48	--	20	17	14.75	11.75	--
TBS-58-LP-BLK	Low	Gloss black	No	No	6.6	59	48	--	20	17	14.75	11.75	--
TBS-60	Standard	Bright alum.	No	No	7.4	61	50	--	20	17	14.75	9	--
TBS-60-LP	Low	Bright alum.	No	No	7.2	61	50	--	20	17	14.75	11.75	--
TBS-60-BLK	Standard	Gloss black	No	No	7.4	61	50	--	20	17	14.75	9	--
TBS-60-LP-BLK	Low	Gloss black	No	No	7.2	61	50	--	20	17	14.75	11.75	--
TBS-60-A*	Standard	Bright alum.	Yes	No	7	61	50	35.75	20	17	14.75	9	3
TBS-60-A-LP*	Low	Bright alum.	Yes	No	6.6	61	50	35.75	20	17	14.75	11.75	3.25
TBS-60-A-BLK*	Standard	Gloss black	Yes	No	7	61	50	35.75	20	17	14.75	9	3
TBS-60-A-LP-BLK*	Low	Gloss black	Yes	No	6.6	61	50	35.75	20	17	14.75	11.75	3.25
TBS-63-LP	Low	Bright alum.	No	No	7.3	64	53	--	20	17	14.75	11.75	--
TBS-63-BLK	Standard	Gloss black	No	No	7.8	64	53	--	20	17	14.75	9	--
TBS-63-LP-BLK	Low	Gloss black	No	No	7.3	64	53	--	20	17	14.75	11.75	--
TBS-63-A*	Standard	Bright alum.	Yes	No	7.4	64	53	38.75	20	17	14.75	9	3
TBS-63-A-LP*	Low	Bright alum.	Yes	No	7	64	53	38.75	20	17	14.75	11.75	3.25
TBS-63-A-BLK*	Standard	Gloss black	Yes	No	7.4	64	53	38.75	20	17	14.75	9	3
TBS-63-A-LP-BLK*	Low	Gloss black	Yes	No	7	64	53	38.75	20	17	14.75	11.75	3.25
TBS-63-A-LP-MB*	Low	Matte black	Yes	No	7	64	53	38.75	20	17	14.75	11.75	3.25
TBS-66	Standard	Bright alum.	No	No	8.2	67	56	--	20	17	14.75	9	--
TBS-66-LP	Low	Bright alum.	No	No	7.5	67	56	--	20	17	14.75	11.75	--
TBS-66-BLK	Standard	Gloss black	No	No	8.2	67	56	--	20	17	14.75	9	--
TBS-66-LP-BLK	Low	Gloss black	No	No	7.5	67	56	--	20	17	14.75	11.75	--

* Built-in screwdriver holder not included


Part #	Profile	Finish	Angled	Rail	Cu. Ft.	Dimensions (inches)							
						L	L1	L2	W	W1	H	H1	H2
Standard Tub (continued)													
TBS-69	Standard	Bright alum.	No	No	8.6	70	59	--	20	17	14.75	9	--
TBS-69-LP	Low	Bright alum.	No	No	8.4	70	59	--	20	17	14.75	11.75	--
TBS-69-BLK	Standard	Gloss black	No	No	8.6	70	59	--	20	17	14.75	9	--
TBS-69-LP-BLK	Low	Gloss black	No	No	8.4	70	59	--	20	17	14.75	11.75	--
TBS-69-MB	Standard	Matte black	No	No	8.6	70	59	--	20	17	14.75	9	--
TBS-69-LP-MB	Low	Matte black	No	No	8.4	70	59	--	20	17	14.75	11.75	--
TBS-69-A-LP*	Low	Bright alum.	Yes	No	8.3	70	59	48	20	17	14.75	11.75	8.75
TBS-69-A-LP-BLK*	Low	Gloss black	Yes	No	8.3	70	59	48	20	17	14.75	11.75	8.75
TBS-69-LBTA	Standard	Bright alum.	No	No	12.2	70	59	--	28.25	25.25	14	8.5	--
TBS-69-LBTA-BLK	Standard	Gloss black	No	No	12.2	70	59	--	28.25	25.25	14	8.5	--
TBS-69-R	Standard	Bright alum.	No	Yes	8.6	70	59	--	20	17	14.75	9	--
TBS-69-LP-R	Low	Bright alum.	No	Yes	8.4	70	59	20	17	16.75	11.75		--
TBS-72	Standard	Bright alum.	No	No	9	73	62	--	20	17	14.75	9	--
TBS-72-LP	Low	Bright alum.	No	No	8.6	73	62	--	20	17	14.75	11.75	--
TBS-72-BLK	Standard	Gloss black	No	No	9	73	62	--	20	17	14.75	9	--
TBS-72-LP-BLK	Low	Gloss black	No	No	8.6	73	62	--	20	17	14.75	11.75	--
TBS-72-MB	Standard	Matte black	No	No	9	73	62	--	20	17	14.75	9	--
TBS-72-LP-MB	Low	Matte black	No	No	8.6	73	62	--	20	17	14.75	11.75	--
TBS-72-LBTA	Standard	Bright alum.	No	No	12.7	73	62	--	28.25	25.25	14	8.5	--
TBS-72-LBTA-BLK	Standard	Gloss black	No	No	12.7	73	62	--	28.25	25.25	14	8.5	--
TBS-72-R	Standard	Bright alum.	No	Yes	9	73	62	--	20	17	14.75	9	--
Deep Tub													
TBSD-60A*	Standard	Bright alum.	Yes	No	7.5	61	50	38	20	17	20.75	15	--
TBSD-60A-LP	Low	Bright alum.	Yes	No	6.3	61	50	35.75	20	17	17.75	14.875	3
TBSD-60A-BLK*	Standard	Gloss black	Yes	No	7.5	61	50	38	20	17	20.75	15	--
TBSD-60A-LP-BLK	Low	Gloss black	Yes	No	6.3	61	50	35.75	20	17	17.75	14.875	3
TBSD-63A*	Standard	Bright alum.	Yes	No	7.7	64	53	40	20	17	20.75	16	--
TBSD-63A-LP*	Low	Bright alum.	Yes	No	6.8	64	53	36	20	17	17.75	16	3
TBSD-63A-BLK*	Standard	Gloss black	Yes	No	7.7	64	53	40	20	17	20.75	15	--
TBSD-63A-LP-BLK*	Low	Gloss black	Yes	No	6.8	64	53	36	20	17	17.75	14.875	3
TBSD-69	Standard	Bright alum.	No	No	12.4	70	59	--	20	17	20.75	15	--
TBSD-69-LP	Low	Bright alum.	No	No	10.8	70	59	--	20	17	18.75	16	--
TBSD-69-BLK	Standard	Gloss black	No	No	12.4	70	59	--	20	17	20.75	15	--
TBSD-69-LP-BLK	Low	Gloss black	No	No	10.8	70	59	--	20	17	18.75	16	--
TBSD-69-A	Standard	Bright alum.	Yes	No	10.2	70	59	46	20	17	20.75	15	3.75
TBSD-69-A-LP*	Low	Bright alum.	Yes	No	10	70	59	46	20	17	18.75	16	4.75
TBSD-69-A-BLK	Standard	Gloss black	Yes	No	10.2	70	59	46	20	17	20.75	15	3.75
TBSD-69-A-LP-B*	Low	Gloss black	Yes	No	10	70	59	46	20	17	18.75	16	4.75
TBSD-69-A-MB	Standard	Matte black	Yes	No	10.2	70	59	46	20	17	20.75	15	3.75
TBSD-69-A-LP-MB*	Low	Matte black	Yes	No	10	70	59	46	20	17	18.75	16	4.75
TBSD-69-LBTA	Standard	Bright alum.	No	No	16.7	70	59	--	28.25	25.25	19	13.25	--
TBSD-69-LBTA-B	Standard	Gloss black	No	No	16.7	70	59	--	28.25	25.25	19	13.25	--
TBSD-72-A	Standard	Bright alum.	Yes	No	12.6	73	62	56	20	17	20.75	15	12
TBSD-72-A-LP	Low	Bright alum.	Yes	No	11.2	73	62	56	20	17	18.75	16	12.75
TBSD-72-A-BLK	Standard	Gloss black	Yes	No	12.6	73	62	56	20	17	20.75	15	12
TBSD-72-A-LP-B	Low	Gloss black	Yes	No	11.2	73	62	56	20	17	18.75	16	12.75
TBSD-72-LBTA	Standard	Bright alum.	No	No	17.1	73	62	--	28.25	25.25	19	13.25	--
TBSD-72-LBTA-B	Standard	Gloss black	No	No	17.1	73	62	--	28.25	25.25	19	13.25	--

* Built-in screwdriver holder not included



UTILITY CHEST BOXES

FEATURED PRODUCTS



Trailer tongue boxes

Perfect for equipment and trailer accessories, these boxes mount onto the trailer tongue on both straight-tongue and A-frame trailers.



Wedged chest boxes

Wedged utility chest boxes feature a unique design that optimizes capacity while avoiding wheel wells and bed accessories.



Under tonneau boxes

Under tonneau chest boxes are built with a 16-1/2" height and an offset lid to be compatible with most truck bed tonneau covers.

PRODUCT INDEX



30
Under Tonneau
Chest Boxes



32
Notched
Chest Boxes



34
Wedged
Chest Boxes



36
5th Wheel
Chest Boxes



38
Standard
Chest Boxes



40
Trailer Tongue
Chest Boxes



42
Tote
Boxes



42
Foot
Lockers

SECURE LOCK UNDER TONNEAU CHEST BOXES



Product Details

- 16-1/2" high with offset lid to be compatible with most tonneau covers
- Patented RigidCore™ foam-filled lid maximizes strength and prevents binding
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- Easy-to-operate, dual-locking twist handles for enhanced security
- Connecting rod allows for convenient operation from driver or passenger side
- Interior rod enclosure helps prevent bending and jamming of lock system
- MicroSeal™ gasket helps seal out moisture, dust, and dirt
- Strut-actuated lid opens 90° for convenient operation and loading (may be limited by tonneau cover style)
- Mounting hardware sold separately



Finishes & Material




Finish:
Bright
aluminum

Material:
0.058"
aluminum



Finish:
Matte
black

Material:
0.058"
aluminum




Part #	Finish	Cubic Feet	Dimensions (inches)						
			L	L1	W	W1	W2	H	H1
SLC-48	Bright aluminum	8.85	48	47	24.5	24	9.75	16.5	3.75
SLC-48-MB	Matte black	8.85	48	47	24.5	24	9.75	16.5	3.75

Utility Chest Mounting Kit

- Compatible with UWS utility chest boxes

Part #	Includes
003-CBOXMK	Two flange bolts, flat washers, and turn nuts



003-CBOXMK



NOTCHED CHEST BOXES



Product Details

- Designed to optimize capacity while avoiding wheel wells and bed accessories
- Offers highly secure storage for tools, equipment, or personal items
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- Stainless steel lock handles for security and corrosion-resistant operation
- Connecting rod allows for convenient operation from driver or passenger side
- Interior rod enclosure helps prevent bending or jamming of lock system
- MicroSeal™ gasket helps seal out moisture, dust, and dirt
- Strut-actuated lid opens 90° for convenient operation and loading
- Mounting hardware sold separately



TBC-60-N-BLK

TBC-60-N

Finishes & Material




Finish:
Bright
aluminum

Material:
0.058"
aluminum



Finish:
Gloss
black

Material:
0.058"
aluminum



Part #	Finish	Cubic Feet	Dimensions (inches)						
			L	L1	W	W1	H	H1	H2
TBC-60-N	Bright aluminum	10.3	60	48	20	19.5	18.75	9.75	14.75
TBC-60-N-BLK	Gloss black	10.3	60	48	20	19.5	18.75	9.75	14.75

Utility Chest Mounting Kit

- Compatible with UWS utility chest boxes

Part #	Includes
003-CBOXMK	Two flange bolts, flat washers, and turn nuts



003-CBOXMK



WEDGED CHEST BOXES



Product Details

- Wedge design optimizes capacity while avoiding wheel wells and bed accessories
- Patented RigidCore™ foam-filled lid maximizes strength and prevents binding
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- Stainless steel lock handles for security and corrosion-resistant operation
- Connecting rod allows for convenient operation from driver or passenger side
- Interior rod enclosure helps prevent bending or jamming of lock system
- MicroSeal™ gasket helps seal out moisture, dust, and dirt
- Strut actuated lid opens 90° for convenient operation and loading
- **Mounting hardware sold separately, see page 38**



TBC-55-WN

TBC-36-W-BLK




Finishes & Material



Finish:
Bright
aluminum
Material:
0.058"
aluminum



Finish:
Gloss
black
Material:
0.058"
aluminum



Part #	Finish	Angled	Cubic Feet	Dimensions (inches)								
				L	L1	L2	W	W1	W2	H	H3	H4
TBC-36-W	Bright alum.	No	7.2	37	36	--	20.5	20	17.75	18.5	7.5	14.5
TBC-36-W-BLK	Gloss black	No	7.2	37	36	--	20.5	20	17.75	18.5	7.5	14.5
TBC-42-W	Bright alum.	No	8.4	43	42	--	20.5	20	17.75	18.5	7.5	14.5
TBC-42-W-BLK	Gloss black	No	8.4	43	42	--	20.5	20	17.75	18.5	7.5	14.5
TBC-48-W	Bright alum.	No	9.6	49	48	--	20.5	20	17.75	18.5	7.5	14.5
TBC-48-W-BLK	Gloss black	No	9.6	49	48	--	20.5	20	17.75	18.5	7.5	14.5
TBC-55-W	Bright alum.	No	11	55	54	--	20.5	20	17.75	18.5	7.5	14.5
TBC-55-W-BLK	Gloss black	No	11	55	54	--	20.5	20	17.75	18.5	7.5	14.5
TBC-55-WN	Bright alum.	Yes	10.4	56	55	41	22	21.5	17.5	21	10.5	15.25
TBC-55-WN-BLK	Gloss black	Yes	10.4	56	55	41	22	21.5	17.5	21	10.5	15.25
TBC-60-W	Bright alum.	No	12	61	60	--	24.75	24	17.75	21.25	7.5	14.5
TBC-60-W-BLK	Gloss black	No	12	61	60	--	24.75	24	17.75	21.25	7.5	14.5
TBC-62-WN	Bright alum.	Yes	10.8	63	62	54	21.5	21	15.75	18.5	8.75	13
TBC-62-WN-BLK	Gloss black	Yes	10.8	63	62	54	21.5	21	15.75	18.5	8.75	13



5TH WHEEL CHEST BOXES



Product Details

- Low-profile design provides plenty of clearance when towing a 5th wheel trailer
- Patented RigidCore™ foam-filled lid maximizes strength and prevents binding
- Designed to mount inside the truck bed, leaving bed rails free for other use
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- Stainless steel lock handles for security and corrosion-resistant operation
- Connecting rod allows for convenient operation from driver or passenger side
- Interior rod enclosure helps prevent bending or jamming of lock system
- MicroSeal™ gasket helps seal out moisture, dust, and dirt
- Strut-actuated lid opens 90° for convenient operation and loading
- Mounting hardware sold separately



FWB-58-BLK



FW-58



FWB-58-MB

Finishes & Material




Finish:
Bright
aluminum

Material:
0.058"
aluminum





Finish:
Gloss
black

Material:
0.058"
aluminum



Finish:
Matte
black

Material:
0.058"
aluminum



Part #	Finish	Cubic Feet	Dimensions (inches)				
			L	L1	W	W1	H
FWB-58	Bright aluminum	6.1	59	58	18.75	18	11.25
FWB-58-MB	Matte black	6.1	59	58	18.75	18	11.25
FWB-58-BLK	Gloss black	6.1	59	58	18.75	18	11.25

Utility Chest Mounting Kit

- Compatible with UWS utility chest boxes

Part #	Includes
003-CBOXMK	Two flange bolts, flat washers, and turn nuts



003-CBOXMK



Scan QR code for instructions on measuring a truck bed for a tool box or transfer tank



STANDARD CHEST BOXES



Product Details


- Offers highly secure storage for tools, equipment, or personal items
- Patented RigidCore™ foam-filled lid maximizes strength and prevents binding
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- Stainless steel lock handles for security and corrosion-resistant operation
- MicroSeal™ gasket helps seal out moisture, dust, and dirt
- Strut-actuated lid opens 90° for convenient operation and loading
- Mounting hardware sold separately



TBC-30-BLK

TBC-30

Finishes & Material




Finish:
Bright
aluminum

Material:
0.058"
aluminum



Finish:
Gloss
black

Material:
0.058"
aluminum




Part #	Finish	Cubic Feet	Dimensions (inches)				
			L	L1	W	W1	H
TBC-30	Bright aluminum	5.3	31	30	20	19.25	17.25
TBC-30-BLK	Gloss black	5.3	31	30	20	19.25	17.25
TBC-36	Bright aluminum	7.2	37	36	20	19.25	19
TBC-36-BLK	Gloss black	7.2	37	36	20	19.25	19
TBC-42	Bright aluminum	8.4	43	42	20	19.25	19
TBC-42-BLK	Gloss black	8.4	43	42	20	19.25	19
TBC-48	Bright aluminum	12.8	48	47	24.75	24	21.25
TBC-48-BLK	Gloss black	12.8	48	47	24.75	24	21.25
TBC-48-DD*	Bright aluminum	11.1	48	47	20.75	20	21.25
TBC-60	Bright aluminum	16.7	61	60	24.75	24	21.25
TBC-60-BLK	Gloss black	16.7	61	60	24.75	24	21.25

* Designed to be used with cargo carrier #UWS-CARRIER

Utility Chest Mounting Kit

- Compatible with UWS utility chest boxes

Part#	Includes
003-CBOXMK	Two flange bolts, flat washers, and turn nuts



003-CBOXMK



TBC-48-DD shown in UWS-CARRIER

TRAILER TONGUE BOXES



Product Details

- Available for A-frame and straight-tongue trailers
- Patented RigidCore™ foam-filled lid maximizes strength and prevents binding
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- Stainless steel lock handle for security and corrosion-resistant operation
- MicroSeal™ gasket helps seal out moisture, dust, and dirt
- Strut-actuated lid opens 90° for convenient operation and loading
- Low-profile option provides added clearance for a hand winch or other obstructions
- Mounting hardware sold separately



TBV-34

TBV-34-LP-BLK

Finishes & Material




Finish:
Bright
aluminum

Material:
0.058"
aluminum



Finish:
Gloss
black

Material:
0.058"
aluminum




Part #	Finish	Cubic Feet	Dimensions (inches)					
			L	L1	L2	W	W1	H
TBV-34	Bright aluminum	4.1	34.75	33	20	17	16	22
TBV-34-BLK	Gloss black	4.1	34.75	33	20	17	16	22
TBV-34-LP	Bright aluminum	2.9	34.75	33	20	17	16	13
TBV-34-LP-BLK	Gloss black	2.9	34.75	33	20	17	16	13
TBV-49*	Bright aluminum	6.3	50	48	24	19	18	22
TBV-49-BLK*	Gloss black	6.3	50	48	24	19	18	22

* Intended for use on A-frame trailers only

Utility Chest Mounting Kit

- Compatible with UWS utility chest boxes

Part#	Includes
003-CBOXMK	Two flange bolts, flat washers, and turn nuts



003-CBOXMK



TOTE BOXES & FOOT LOCKERS



Tote Boxes

- Transportable and lockable to protect valuables at home, work, or in your vehicle
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- Twist latch can accept a padlock to help secure box and its contents
- Top carry handle for easy transport



Foot Lockers

- Offers highly secure storage of tools, equipment, or personal items
- Patented RigidCore™ foam-filled lid maximizes strength and prevents binding
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- Stainless steel lock handles for security and corrosion-resistant operation
- MicroSeal™ gasket helps seal out moisture, dust, and dirt
- Strut-actuated lid opens 90° for convenient operation and loading
- Side carry handles for easy transport
- **Mounting hardware sold separately, see page 38**



Finishes & Material




Finish:
Bright
aluminum

Material:
0.058"
aluminum



Finish:
Gloss
black

Material:
0.058"
aluminum



Part #	Finish	Cubic Feet	Dimensions (inches)				
			L	L1	W	W1	H
Tote Boxes							
TB-1	Bright aluminum	0.8	21	20	12.25	11.5	7
TB-2	Bright aluminum	1.3	21	20	12.25	11.5	11.25
Foot Lockers							
FOOT-LOCKER	Bright aluminum	4.8	36	35	20	19.25	13.25
FOOT-LOCKER-BLK	Gloss black	4.8	36	35	20	19.25	13.25





UTV & ATV TOOL BOXES

FEATURED PRODUCTS



UTV crossover tool boxes

Crossover-style tool boxes add secure storage to your UTV and install with UTV-specific brackets.



UTV side-mount tool boxes

Side-mount tool boxes attach to the bed wall of the UTV to provide dependable storage, security, and organization.



ATV tool boxes

ATV tool boxes feature side handles for easy portability and can be mounted on virtually any ATV thanks to a universal design.

PRODUCT INDEX



46

UTV Crossover
Tool Boxes



46

UTV Side-Mount
Tool Boxes



48

ATV
Tool Boxes

UTV TOOL BOXES



Product Details

- Mounts with UTV-specific brackets for a custom fit
- Allows a UTV to transport cargo and keep tools on hand in the field
- Patented RigidCore™ foam-filled lid maximizes strength and prevents binding
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- Stainless steel lock handles for security and corrosion-resistant operation
- MicroSeal™ gasket helps seal out moisture, dust, and dirt
- Strut-actuated lid opens 90° for convenient operation and loading
- Available in crossover and side-mount styles
- Crossover boxes and side-mount boxes may not fit together in the same UTV bed





Finish & Material



Finish:
Matte
black

Material:
0.058"
aluminum



Make	Model / Style	Years	Kit (Box and Hardware)	Box Only	Hardware Only	Cu. Ft.	Dimensions (inches)					
			Kit #	Box #	Part #		L	L1	W	W1	H	H1
Crossover												
Can-Am	Defender full-size	16-25	8500002	UTV-59-MB	UTV-59CA	3.2	59.75	52	12.25	11.5	10.25	4.5
Honda	Pioneer 1000	17-25	8500004*	UTV-59-MB	UTV-59HP*	3.2	59.75	52	12.25	11.5	10.25	4.5
Kawasaki	Mule Pro FXT	12-25	8500003	UTV-59-MB	UTV-59KM	3.2	59.75	52	12.25	11.5	10.25	4.5
Polaris	Ranger full-size	08-25	8500000	UTV-59-MB	UTV-59PR	3.2	59.75	52	12.25	11.5	10.25	4.5
	Ranger 1000 full-size	08-25	8500005	UTV-59PR-MB	UTV-59PR	3.2	59.75	52	12.25	11.5	10.25	4.5
Yamaha	Viking full-size	13-25	8500001*	UTV-59-MB	UTV-59YV*	3.2	59.75	52	12.25	11.5	10.25	4.5
Side Mount												
Polaris	Ranger full-size	08-25	UTV-SM33-MB	--	Incl. in kit	2.45	34	33	12	8.5	15.25	9.5

*Continued while supplies last



ATV TOOL BOXES



Product Details

- Designed to mount on an ATV to transport cargo and keep tools on hand in the field
- Patented RigidCore™ foam-filled lid to maximize strength and prevent binding
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- Stainless steel lock handles for security and corrosion-resistant operation
- MicroSeal™ gasket helps seal out moisture, dust, and dirt
- Strut-actuated lid opens 90° for convenient operation and loading
- Side carry handles for easy portability



ATV

ATV-BLK

Finishes & Material




Finish:
Bright
aluminum

Material:
0.058"
aluminum



Finish:
Gloss
black

Material:
0.058"
aluminum



Part #	Finish	Cubic Feet	Dimensions (inches)				
			L	L1	W	W1	H
ATV	Bright aluminum	2.7	33	32	13	12	13.25
ATV-BLK	Gloss black	2.7	33	32	13	12	13.25





SIDE MOUNT BOXES

FEATURED PRODUCTS



Steel underbody boxes

Crafted from extra-thick, 14-gauge steel, these boxes can withstand the toughest conditions, ensuring your tools and cargo remain secure.



Adjustable truck bed legs

Telescoping legs attach almost anywhere on the truck bed wall and provide more room in the bed for cargo.



Low-profile side boxes

These truck side boxes have a low profile for better field of vision and enhanced safety, integrating with our low-profile crossover boxes.

PRODUCT INDEX



52
Topside
Tool Boxes



54
Truck Side
Tool Boxes



55
Space-Saving
Truck Bed Legs



56
Wheel Well
Tool Boxes



58
Underbody
Tool Boxes

TOPSIDE TOOL BOXES



Product Details

- Mounts on top of truck bed rail for easy cargo and tool access
- Stainless steel aircraft cables for strong door support
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- Door opens 90° for easy loading and unloading of tools and equipment
- Stainless steel T-handles for security and corrosion resistance
- MicroSeal™ gasket helps seal out moisture, dust, and dirt
- Multiple box sizes with large open bay storage compartment
- Available in single and double-door models
- Mounting hardware not included



Finishes & Material




Finish:
Bright
aluminum

Material:
0.058"
aluminum



Finish:
Gloss
black

Material:
0.058"
aluminum



Part #	Finish	Cubic Feet	# of Doors	Door Opening Dims (in.)		Box Dimensions (inches)		
				L	H	L	W	H
TBTS-48	Bright aluminum	6.3	1	42.5	12	48	13.75	17
TBTS-48-BLK	Gloss black	6.3	1	42.5	12	48	13.75	17
TBTS-60	Bright aluminum	7.8	1	55.5	12	60	13.75	17
TBTS-60-BLK	Gloss black	7.8	1	55.5	12	60	13.75	17
TBTS-72	Bright aluminum	9.4	2	30.5	12	72	13.75	17
TBTS-72-BLK	Gloss black	9.4	2	30.5	12	72	13.75	17
TBTS-90	Bright aluminum	11.7	2	39.5	12	90	13.75	17
TBTS-90-BLK	Gloss black	11.7	2	39.5	12	90	13.75	17
TBTS-96	Bright aluminum	12.5	2	42.5	12	96	13.75	17
TBTS-96-BLK	Gloss black	12.5	2	42.5	12	96	13.75	17




TRUCK SIDE TOOL BOXES



Product Details

- Mounts on the inside of the truck bed rails to provide additional storage space
- Patented RigidCore™ foam-filled lid maximizes strength and prevents binding
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- Universal design can be mounted on the driver or passenger side
- Low profile provides better field of vision for enhanced safety
- Stainless steel, lockable paddle handles for easy operation (standard models only)
- Stainless steel, lockable push-button operation (low-profile models only)
- Mounting hardware not included



Finishes & Material



Finish:
Bright
aluminum

Material:
0.058"
aluminum




Finish:
Gloss
black

Material:
0.058"
aluminum



Finish:
Matte
black

Material:
0.058"
aluminum



Part #	Profile	Finish	Cubic Feet	Dimensions (inches)					
				L	L1	W	W1	H	H1
TBSM-36	Standard	Bright aluminum	2.2	37	36	12	7	12	6.5
TBSM-36-BLK	Standard	Gloss black	2.2	37	36	12	7	12	6.5
TBSM-36-LP	Low	Bright aluminum	2.3	36.75	36	14.5	9.25	11.75	8.75
TBSM-36-LP-BLK	Low	Gloss black	2.3	36.75	36	14.5	9.25	11.75	8.75
TBSM-36-LP-MB	Low	Matte black	2.3	36.75	36	14.5	9.25	11.75	8.75
TBSM-48	Standard	Bright aluminum	3	49	48	12	7	12	6.5
TBSM-48-BLK	Standard	Gloss black	3	49	48	12	7	12	6.5
TBSM-48-LP	Low	Bright aluminum	3	48.75	48	14.5	9.25	11.75	8.75
TBSM-48-LP-BLK	Low	Gloss black	3	48.75	48	14.5	9.25	11.75	8.75
TBSM-48-LP-MB	Low	Matte black	3	48.75	48	14.5	9.25	11.75	8.75
TBSM-60	Standard	Bright aluminum	3.7	61	60	12	7	12	6.5
TBSM-60-BLK	Standard	Gloss black	3.7	61	60	12	7	12	6.5
TBSM-72	Standard	Bright aluminum	4.2	73	72	12	7	12	6.5
TBSM-72-BLK	Standard	Gloss black	4.2	73	72	12	7	12	6.5

Select kitted options available with space-saving legs (see uwsta.com)



SPACE-SAVING TRUCK BED LEGS

Adjustable Legs for Truck Side Boxes (sold separately)

- Improved mounting system for truck side tool boxes
- Space-saving design provides more room in the truck bed for cargo
- Can be mounted anywhere on the side box or truck bed, as needed
- Mount at any angle between 0° and 55°
- Gloss black powder-coated steel construction with clear zinc hardware
- Not compatible with topside boxes



TBSM-MK2



Part #	Includes
TBSM-MK2	Two legs, installation hardware, and rivet nut tool

WHEEL WELL TOOL BOXES



Product Details

- Integrates with the wheel well fender to provide convenient storage space
- Patented RigidCore™ foam-filled lid maximizes strength and prevents binding
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- Three sliding drawers open toward the rear for storage of tools and equipment
- Corrosion-resistant zinc-plated metal sliders ensure long life
- Stainless steel ball bearings for smooth operation
- Stainless steel lock handle for security and corrosion-resistant operation
- MicroSeal™ gasket helps seal out moisture, dust, and dirt
- Lid opens 90° for convenient operation and loading
- Available for driver and passenger side
- Mounting hardware not included



FW-48-DS-P-BLK



FW-48-DS-P

Finishes & Material



Finish:
Bright
aluminum

Material:
0.058"
aluminum




Finish:
Gloss
black

Material:
0.058"
aluminum


Drawer
Front



Drawer
Side



Part #	Finish	Vehicle Side	Cu. Ft.	Drawer Dims (inches)				Box Dimensions (inches)							
				L	W	H	Drawer Count	L	L1	W	W1	W2	H	H2	H3
FW-48-DS-P	Bright alum.	Pass.	3.9	4.5	15	3	1	8.75	8	48	18	20.25	24.75	13	11.75
				4.5	15	2	2								
FW-48-DS-P-BLK	Gloss black	Pass.	3.9	4.5	15	3	1	8.75	8	48	18	20.25	24.75	13	11.75
				4.5	15	2	2								
FW-48-DS-D	Bright alum.	Driver	3.9	4.5	15	3	1	8.75	8	48	18	20.25	24.75	13	11.75
				4.5	15	2	2								
FW-48-DS-D-BLK	Gloss black	Driver	3.9	4.5	15	3	1	8.75	8	48	18	20.25	24.75	13	11.75
				4.5	15	2	2								



UNDERBODY TOOL BOXES



(excl. steel boxes)

Product Details

- Mounts above or below flatbeds, dump trucks, and trailer bodies
- Stainless steel cables for strong door support
- Door opens 90° for easy loading and unloading of tools and equipment
- Stainless steel T-handles for security and corrosion resistance
- MicroSeal™ gasket helps seal out moisture, dust, and dirt
- Large open-bay storage compartment with single and double-door options for flexibility
- 1" drip rail completely encompasses door opening to resist water infiltration
- Mounting hardware not included
- Available in lightweight aluminum or high-strength steel construction



TBUB-72

TBUB-36-BLK



ST-TBUB-60

ST-TBUB-30

Finishes & Materials




Finish:
Bright
aluminum
Material:
0.075"
aluminum



Finish:
Gloss
black
Material:
0.075"
aluminum



Finish:
Matte
black
Material:
14-gauge
steel



Part #	Finish	Cubic Feet	# of Doors	Door Opening Dims (in.)		Box Dimensions (inches)		
				L	H	L	W	H
Aluminum Boxes								
TBUB-24	Bright aluminum	4.6	1	19.5	13	24	19	18
TBUB-30	Bright aluminum	5.7	1	25.5	13	30	19	18
TBUB-36	Bright aluminum	6.9	1	31.5	13	36	19	18
TBUB-36-BLK	Gloss black	6.9	1	31.5	13	36	19	18
TBUB-48	Bright aluminum	9.2	1	43.5	13	48	19	18
TBUB-60	Bright aluminum	11	1	55.5	13	60	19	18
TBUB-72	Bright aluminum	12.9	2	30.5	13	72	19	18
TBUB-96	Bright aluminum	17.2	2	42.5	13	96	19	18
Steel Boxes								
ST-TBUB-24-MB	Matte black	4.6	1	19.5	13	24	19	18
ST-TBUB-30-MB	Matte black	5.7	1	25.5	13	30	19	18
ST-TBUB-36-MB	Matte black	6.9	1	31.5	13	36	19	18
ST-TBUB-48-MB	Matte black	9.2	1	43.5	13	48	19	18
ST-TBUB-60-MB	Matte black	11	1	55.5	13	60	19	18



RELIABLE UNDERBODY BOX MOUNTING

Mounting Brackets

- 18" x 18" L-bracket design provides dependable installation of underbody box
- Ideal for box installation on flatbeds, dump trucks, and trailer bodies
- Fits any UWS or 18" deep x 18" tall aftermarket underbody tool box
- Strong steel construction with durable powder coat finish
- Brackets can be welded or bolted on



Part #	Fits	Includes
TBUB-1818-LB	18" x 18" underbody tool boxes	Two brackets, four 3" bolts, washers, and locknuts



DRAWER BOXES

FEATURED PRODUCTS



Quick Draw™ tool box

Constructed from diamond-plate, 14-gauge steel and features a rollout drawer for easy access from both sides of the truck.



Drawer tool boxes

Great for a variety of applications, these boxes have five integrated sliding drawers with stainless steel sliders for long-lasting operation.



Utility chest with drawers

Our enhanced utility chest provides the ultimate in secure storage and organization, featuring a large center compartment and built-in drawers.

PRODUCT INDEX



62

Quick Draw™
Tool Box



64

Utility Chest Box
with Drawers



66

Drawer Truck
Tool Boxes



56

Wheel Well
Tool Boxes

QUICK DRAW™ TOOL BOX

NEW

Product Details

- Diamond-plate, 14-gauge steel construction provides dependable protection for your tools
- Allows for easy access to your tools from either side of the truck
- Angled design provides additional clearance for extra flatbed cargo space
- Stainless steel T-handle with covered keyhole for security and corrosion resistance
- Sealed roller bearings make opening the tool box effortless
- Patented drawer system rolls out 44-3/8" on either side of the box
- Patented stop limits on drawer for safe, controlled opening
- Fully enclosed design with .050" aluminum mill finish bottom
- Rubber mat flooring prevents tools from sliding
- 400-lb. maximum load capacity when evenly distributed
- U.S. Patent# 8,757,458







TBQD-78-A-BLK

Finishes & Materials



Finish:
Satin black
Tool box material:
14-gauge steel
Tool box base:
0.050" aluminum



Part #	Finish	Angled	Cubic Feet	Drawer Dimensions (inches)					Box Dimensions (inches)		
				L	W	H	H1 (front)	Drawer Count	L	W	H
TBQD-78-A-BLK	Satin black	Yes	5.71	73"	15.75"	12.25"	5"	1	78"	21"	17"

Accessories

- Compatible with UWS Quick Draw™ tool box

Part #	Description
TBQD-ORGANIZER	Tool organizer
TBQD-TRAY	Drawer tray
TBQD-BOLTBIN	Bolt bin with four compartments
TBQD-DIVIDER	Four drawer dividers
TBQD-RISERKIT	Box riser kit and hardware



TBQD-ORGANIZER



TBQD-DIVIDER



TBQD-TRAY



TBQD-BOLTBIN



UTILITY CHEST BOXES WITH DRAWERS



Product Details

- Ten precision-injected drawers for storage of small tools
- Stainless steel, ball bearing drawer slides for smooth operation
- Patented RigidCore™ foam-filled lid to maximize strength and prevent binding
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- Stainless steel lock handle for security and corrosion-resistant operation
- Front and top opening lids for easy access to tools and equipment
- Strut-actuated lid opens 90° for convenient operation and loading
- Removable, three-compartment sliding tray for convenient small item storage and retrieval
- Carrying handles on the sides for easy portability
- Mounting hardware sold separately



TBC-38-DS



TBC-38-DS-BLK

Finishes & Material



Finish:
Bright
aluminum

Material:
0.058"
aluminum



Finish:
Gloss
black

Material:
0.058"
aluminum


Drawer
Front




Drawer
Side



Box Front
L



Box Side
W




Part #	Finish	Cubic Feet	Drawer Dimensions (inches)				Box Dimensions (inches)				
			L	W	H	Drawer Count	L	L1	W	W1	H
TBC-38-DS	Bright aluminum	4 (center)	4.5	19	2	4	38	37	23	22	20
			4.5	19	3	6					
TBC-38-DS-BLK	Gloss black	4 (center)	4.5	19	2	4	38	37	23	22	20
			4.5	19	3	6					

Mounting Kit

- Compatible with UWS utility chest boxes

Part #	Includes
003-CBOXMK	Two flange bolts, flat washers, and turn nuts



003-CBOXMK



DRAWER TRUCK TOOL BOXES



Product Details

- Five precision-injected, commercial-grade drawers for secure storage
- Stainless steel T-handle lock for security and corrosion resistance
- Provides easier access to small tools and equipment
- Integrated drawer design provides maximum security and organization
- Stainless steel, ball bearing drawer slides for smooth operation
- MicroSeal™ gasket helps seal out moisture, dust, and dirt
- Basic hardware included for easy mounting on trucks, vans, trailers, or workbenches



DS-18

DS-18-BLK

Finishes & Material





Finish:
Bright
aluminum

Material:
0.058"
aluminum



Finish:
Gloss
black

Material:
0.058"
aluminum




Part #	Finish	Cubic Feet	Drawer Dimensions (in.)				Box Dimensions (inches)		
			W	L	H	Drawer Count	W	L	H
DS-18	Bright aluminum	1.5	15	4.5	2	2	18	7.75	18.75
			15	4.5	3	3			
DS-18-BLK	Gloss black	1.5	15	4.5	2	2	18	7.75	18.75
			15	4.5	3	3			
DS-22	Bright aluminum	1.9	19	4.5	2	2	22	7.75	18.75
			19	4.5	3	3			
DS-22-BLK	Gloss black	1.9	19	4.5	2	2	22	7.75	18.75
			19	4.5	3	3			

Mounting Kit

- Compatible with UWS drawer boxes and utility chests

Part #	Includes
003-CBOXMK	Two flange bolts, flat washers, and turn nuts



003-CBOXMK





Scan QR code for
instructions on
measuring a truck
bed for a tool box
or transfer tank

TRANSFER TANKS

FEATURED PRODUCTS



Steel-aluminum combo tanks

These combo tanks are an industry first, featuring steel and aluminum construction that weighs less than comparable full-steel models.



Hammerhead-style tanks

These tanks feature a narrowed base, making them a universal fit for all full-size trucks. Available in both L-shape and combo styles.



Rectangular tanks

Rectangular tanks are available in various sizes, including 24" square models, to accommodate many different types of truck beds.

PRODUCT INDEX



70

Transfer Tank
Overview




72

Hammerhead-
Style Tanks



74

Combo
Tanks



76

L-Shaped
Tanks



78

Rectangular
Tanks

Tanks are DOT-compliant for transporting Class 3 combustible fuels only, such as diesel.

TRANSFER TANK OVERVIEW



(excl. steel boxes)

Product Details

- Transfers diesel or other non-flammable liquids to on-site vehicles or equipment
- Lockable, commercial-grade vented cap with reinforced collar for added security (replacement cap #UWS-CAPS)
- Internal baffles for extra strength and a smooth, even flow of liquid
- Built-in 3/8" drain plug for easy and complete emptying as needed
- 100% of tanks are pressure tested for safety
- Integrated tabs for solid installation
- Unique, smooth finish on steel tanks and rugged diamond plate on aluminum
- Two built-in hooks make it easy to lift in and out of the truck (steel tanks only)
- Multiple tank capacities and styles available for a custom fit on each truck application
- Mounting hardware not included



Style Options

Hammerhead



Narrow base fits all full-size trucks, including short bed

Combo



Built-in tool box adds storage without reducing truck bed space

L-shaped



L-shaped tank allows space for a crossover truck tool box

Rectangular



Mounts behind the truck cab, leaving the bed open for cargo

Finishes & Materials

Steel tanks (tool box applies to combo tanks only)

Finish:
Matte black

Tank material:
14-gauge steel

Tool box material:
0.080" aluminum

Finish:
Semi-gloss white

Tank material:
14-gauge steel

Tool box material:
0.080" aluminum

Aluminum tanks

Finish:
Bright aluminum

Material:
0.125" aluminum

Finish:
Gloss black

Material:
0.125" aluminum



KEY FEATURES OF COMBO TANKS



Built-in tool box adds storage without reducing truck bed space



Patented RigidCore™ foam-filled lid adds strength and prevents binding



Stainless steel lock handles allow operation from either side



Strut-actuated lid opens 90° for convenient operation



Thru-bolted tool box with neoprene washers for water resistance



Interior rod enclosure helps prevent bending or jamming of lock system

Tanks are DOT-compliant for transporting Class 3 combustible fuels only, such as diesel.

HAMMERHEAD-STYLE TANKS



(excl. steel boxes)

Key Features

- Fits all full-size trucks (including short bed) with narrow base to fit between wheel wells
- Industry-first steel-aluminum combo tanks weigh less than full-steel tanks
- See page 70 for a full list of product details



ST-100HH-CB-MB



TT-100HH-CB



TT-100HH-B



ST-100HH-W

Finishes & Materials


Steel tanks (tool box applies to combo tanks only)




Finish:
Matte black
Tank material:
14-gauge steel
Tool box material:
0.080" aluminum




Finish:
Semi-gloss white
Tank material:
14-gauge steel
Tool box material:
0.080" aluminum





Finish:
Bright aluminum
Material:
0.125" aluminum





Finish:
Gloss black
Material:
0.125" aluminum



Combo, Angled Front
L



L-Shaped Front
L



Part #	Finish & Material	Gal.	Angled Lid	Cu. Ft.	Dimensions (inches)							
					L*	L1	W	W1	W2	H**	H1	H2
Combo Tanks												
ST-100HH-CB-MB	Matte black steel / aluminum	100	Yes	6.5	59	48	31	13	18	24.75	9.75	13
ST-100HH-CB-W	Semi-gloss white steel / alum.	100	Yes	6.5	59	48	31	13	18	24.75	9.75	13
TT-100HH-CB	Bright aluminum	100	Yes	6.5	59	48	31	13	18	24.75	9.75	13
TT-100HH-CB-B	Gloss black aluminum	100	Yes	6.5	59	48	31	13	18	24.75	9.75	13
L-Shaped Tanks												
ST-100HH-MB	Matte black steel	100	--	--	59	48	31	13	18	24.75	9.75	15
ST-100HH-W	Semi-gloss white steel	100	--	--	59	48	31	13	18	24.75	9.75	15
TT-100HH	Bright aluminum	100	--	--	59	48	31	13	18	24.75	9.75	15
TT-100HH-B	Gloss black aluminum	100	--	--	59	48	31	13	18	24.75	9.75	15

* Add 3" to dimension (L) for mounting bracket clearance

** Add 2-3/4" to dimension (H) for vent cap clearance

Tanks are DOT-compliant for transporting Class 3 combustible fuels only, such as diesel.

COMBO TANKS



(excl. steel boxes)

Key Features

- Built-in tool box provides added storage without reducing truck bed space
- Patented RigidCore™ foam-filled lid maximizes strength and prevents binding
- Industry-first steel-aluminum combo weighs less than full-steel models
- See page 70 for a full list of product details



ST-100-COMBO-MB



ST-75-COMBO-W



TT-85-COMBO-BLK



TT-85-COMBO

Finishes & Materials

Steel tanks




Finish:
Matte black
Tank material:
14-gauge steel
Tool box material:
0.080" aluminum




Finish:
Semi-gloss white
Tank material:
14-gauge steel
Tool box material:
0.080" aluminum





Aluminum tanks



Finish:
Bright aluminum
Material:
0.125" aluminum



Finish:
Gloss black
Material:
0.125" aluminum



Part #	Finish	Gallons	Angled Lid	Cubic Feet	Dimensions (inches)						
					L*	W	W1	W2	H**	H1	H2
Steel-Aluminum Tanks											
ST-75-COMBO-W	Semi-gloss white	75	Yes	6.5	48.5	27	9	18	24	9	15
ST-75-COMBO-MB	Matte Black	75	Yes	6.5	48.5	27	9	18	24	9	15
ST-85-COMBO-W	Semi-gloss white	85	No	12	48.25	34	10	24	26	8	18
ST-85-COMBO-MB	Matte Black	85	No	12	48.25	34	10	24	26	8	18
ST-100-COMBO-W	Semi-gloss white	100	No	11.4	60	31	9	22	24	9	15
ST-100-COMBO-MB	Matte Black	100	No	11.4	60	31	9	22	24	9	15
Aluminum Tanks											
TT-45-COMBO	Bright aluminum	45	Yes	3.4	55	18.5	6	12	20.25	8	9
TT-45-COMBO-BLK	Gloss black	45	Yes	3.4	55	18.5	6	12	20.25	8	9
TT-50-COMBO	Bright aluminum	50	No	7	37	32.5	8	24	22.5	8	14.25
TT-50-COMBO-BLK	Gloss black	50	No	7	37	32.5	8	24	22.5	8	14.25
TT-75-COMBO	Bright aluminum	75	Yes	6.5	49	27.5	9	18	24	9	13
TT-75-COMBO-BLK	Gloss black	75	Yes	6.5	49	27.5	9	18	24	9	13
TT-85-COMBO	Bright aluminum	85	No	12	48.5	34.25	10	24	26.5	8	18
TT-85-COMBO-BLK	Gloss black	85	No	12	48.5	34.25	10	24	26.5	8	18
TT-100-COMBO	Bright aluminum	100	No	11.4	60.25	31.25	9	22	24.5	9	15
TT-100-CB-B	Gloss black	100	No	11.4	60.25	31.25	9	22	24.5	9	15

* Add 3" to dimension (L) for mounting bracket clearance

** Add 2-3/4" to dimension (H) for vent cap clearance

L-SHAPED TANKS




(excl. steel boxes)

Key Features

- L-shaped tank allows space for a truck tool box
- Lockable, commercial-grade vented cap with reinforced collar for added security
- See page 70 for a full list of product details



ST-100-L-MB



ST-100-L-W



TT-50-L-T-P-BLK



TT-50-L-T-P

Finishes & Materials

Steel tanks



Finish:
Matte black

Material:
14-gauge steel



Finish:
Semi-gloss white

Tank material:
14-gauge steel

Tool box material:
0.080" aluminum

Aluminum tanks




Finish:
Bright aluminum

Material:
0.125" aluminum



Finish:
Gloss black

Material:
0.125" aluminum



Part #	Finish	Gallons	Dimensions (inches)						
			L*	W	W1	W2	H**	H1	H2
Steel Tanks									
ST-75-L-W	Semi-gloss white	75	48	27	9	18	24	9	15
ST-75-L-MB	Matte black	75	48	27	9	18	24	9	15
ST-85-L-W	Semi-gloss white	85	48	34	10	24	26	8	18
ST-85-L-MB	Matte black	85	48	34	10	24	26	8	18
ST-100-L-W	Semi-gloss white	100	59.5	31	9	22	24	9	15
ST-100-L-MB	Matte black	100	59.5	31	9	22	24	9	15
Aluminum Tanks									
TT-50-L-T-P	Bright aluminum	50	36.25	32	8	24	22	8	14
TT-50-L-T-P-BLK	Gloss black	50	36.25	32	8	24	22	8	14
TT-75-L-T-P	Bright aluminum	75	48	27	9	18	24	9	15
TT-75-L-T-P-BLK	Gloss black	75	48	27	9	18	24	9	15
TT-85-L-T-P	Bright aluminum	85	48	34	10	24	26	8	18
TT-85-L-T-P-BLK	Gloss black	85	48	34	10	24	26	8	18
TT-100-L-T-P	Bright aluminum	100	59.5	31	9	22	24	9	15
TT-100-L-T-P-BLK	Gloss black	100	59.5	31	9	22	24	9	15

* Add 3" to dimension (L) for mounting bracket clearance

** Add 2-3/4" to dimension (H) for vent cap clearance

RECTANGULAR TANKS



(excl. steel boxes)


Key Features

- Mounts behind the truck cab, leaving the bed open for cargo
- Compatible with most short-bed trucks and gooseneck hitches (select models)
- See page 70 for a full list of product details



Finishes & Materials


Steel tanks




Finish:
Matte black
Material:
14-gauge steel

Finish:
Semi-gloss white
Material:
14-gauge steel

Aluminum tanks



Finish:
Bright aluminum
Material:
0.125" aluminum



Part #	Finish	Gallons	Dimensions (inches)		
			L*	W	H**
Steel Tanks					
ST-45-R-W	Semi-gloss white	45	54	10.5	19.5
ST-45-R-MB	Matte black	45	54	10.5	19.5
ST-53-R-W•	Semi-gloss white	53	24	24	24
ST-53-R-MB•	Matte black	53	24	24	24
ST-100-RT-W•	Semi-gloss white	100	47	24	23
ST-100-RT-MB•	Matte black	100	47	24	23
Aluminum Tanks					
TT-45-R-T-P	Bright aluminum	45	54	10.5	19.5
TT-50-R-T-P•	Bright aluminum	50	36	19	19
TT-100-RT-T-P•	Bright aluminum	100	47	24	23

* Add 3" to dimension (L) for mounting bracket clearance

** Add 2-3/4" to dimension (H) for vent cap clearance

* Indicates short-bed and gooseneck compatibility





DOG BOXES

FEATURED PRODUCTS



Southern dog boxes

These dog boxes have open rungs for ventilation and are available with single or double doors. Both styles feature a top tie-down rail.



Northern dog box

This double-door dog box features enclosed walls to help protect from wind and cold temps. It is also equipped with a top storage chest.



Accessory box

This 34" wide box fits perfectly on top of our dog boxes, providing secure storage for collars, training dummies, and other accessories.

PRODUCT INDEX



82
Southern
Dog Boxes



83
Dog Box
Accessory



84
Northern
Dog Box

SOUTHERN DOG BOXES



Product Details

- Premium design to transport your dogs and dog equipment safely and securely
- Open bottom and wide-spaced rungs for consistent airflow and easy cleaning
- Rail provides a reliable anchor for tying down cargo on top
- 0.058" one-piece aluminum to be strong, lightweight, and corrosion-resistant
- Stainless steel lock handle for security and corrosion-resistant operation
- Interior divider provides separate compartments for two dogs (#DB-4848)
- Mounting hardware not included



DB-3636

Finish & Material




Finish:
Bright
aluminum


Material:
0.058"
aluminum



DB-4848




Part #	Finish	Cubic Feet	# of Doors	Door Opening Dims (in.)		Box Dimensions (inches)		
				L	H	L	W	H
DB-3636	Bright aluminum	18	1	18.5	21	36	36	24
DB-4848	Bright aluminum	32	2	17.25	21	48	48	24



ACCESSORY BOX

- Storage box designed for securing dog tracking collars and other small items
- Suitable for mounting on truck-based dog box or other surfaces (hardware not included)
- Patented RigidCore™ foam-filled lid to maximize strength and prevent binding
- 0.058" extra-thick, one-piece aluminum tub can hold heavy tools or cargo
- Beveled lid limits sharp edges and makes it easy to open
- Stainless steel lock handle for security and corrosion-resistant operation
- MicroSeal™ gasket helps seal out moisture, dust, and dirt
- Strut-actuated lid opens 90° for convenient operation and loading



Part #	Finish	Cu. Feet	Dimensions (inches)				
			L	L1	W	W1	H
TCB-34	Bright alum.	3.4	32	31	35	34	6.75

NORTHERN DOG BOX




Product Details

- Premium design to transport your dogs and dog equipment safely and securely
- Enclosed walls and bottom help keep dogs warm and protected from the elements
- Rail provides a reliable anchor for tying down cargo on top
- 0.058" one-piece aluminum to be strong, lightweight, and corrosion-resistant
- Stainless steel lock handles for security and corrosion-resistant operation
- Built-in tool box provides added storage without reducing truck bed space
- Patented RigidCore™ foam-filled lid to maximize strength and prevent binding
- MicroSeal™ gasket helps seal out moisture, dust, and dirt
- Self-opening lid automatically opens for convenience when hands are full
- Cleanout ports at the back of each compartment for easy cleaning
- Mounting hardware not included




DB-4848N

Finish & Material



Finish:
Bright
aluminum

Material:
0.058"
aluminum



Part #	Finish	Cu. Feet	# of Doors	Door Opening Dims (in.)		Dimensions (inches)						
				L	H	L	L1	W	W1	W2	H	H1
DB-4848N	Bright aluminum	35.2	2	15.75	17.5	48	47.25	48.25	34.75	13.75	28.25	23





ACCESSORIES

FEATURED PRODUCTS



Tie downs

Tie-down side rails integrate with your existing tool box to provide a sturdy anchor for additional cargo.



Tote boxes

UWS tote boxes feature a top carry handle and are fully lockable thanks to a twist latch that accepts a padlock.



Cargo carrier

Cargo carriers are easy to install and offer a simple yet effective solution for adding additional storage space to your vehicle.

PRODUCT INDEX



88
Cargo
Carrier



89
Tie
Downs



89
Tote
Boxes



90
Replacement
Parts

CARGO CARRIER



Product Details

- Mounts onto any 2" x 2" receiver tube opening (hitch pin not included)
- Rated to carry loads up to 500 lbs.
- Fully welded 0.058" aluminum construction with heavy-duty beam platform
- Optional chest #TBC-48-DD provides lockable, weatherproof rear hitch storage (see below)






UWS-CARRIER

Finish & Material



Finish:
Bright
aluminum

Material:
0.058"
aluminum




Accepts TBC-48-DD utility chest box

Part #	Finish	Capacity	Outside Dimensions (inches)			Inside Dimensions (inches)		
			L	W	H	L	W	H
UWS-CARRIER	Bright aluminum	500 lbs.	51	23	6.38	48.25	20.25	6.5

Utility Chest Box

- Fits perfectly into the #UWS-CARRIER
- Patented RigidCore™ foam-filled lid
- 0.058" extra-thick, one-piece aluminum tub
- Stainless steel lock handles for security
- See page 38 for more information



Part #	Finish	Box Weight	Cubic Feet	Dimensions (inches)				
				L	L1	W	W1	H
TBC-48-DD	Bright aluminum	39.6 lbs.	11.1	48	47	20.75	20	21.25

CROSSOVER BOX TIE DOWNS

Product Details

- Integrated tie-down rails for enhanced cargo management and security
- Robust look and feel to set your truck tool box apart
- Black UV-stabilized, glass-filled nylon construction
- Great add-on upgrade for an existing tool box



UWS-TBTD



Mounts onto any standard crossover box to provide a stable anchor point to secure cargo

Part #	Capacity	Dimensions (inches)		
		L	W	H
UWS-TBTD	50 lbs.	18.125"	2.75"	3.5"

TOTE BOXES



Product Details

- Transportable and lockable to protect valuables at home, work, or in your vehicle
- 0.058" extra-thick, one-piece aluminum tub holds heavy tools and cargo
- Twist latch accepts a padlock to help secure contents
- Top carry handle for easy portability



TB-2


TB-1

Finish & Material



Finish:
Bright
aluminum

Material:
0.058"
aluminum



Part #	Finish	Cubic Feet	Dimensions (inches)				
			L	L1	W	W1	H
TB-1	Bright aluminum	0.8	21	20	12.25	11.5	7
TB-2	Bright aluminum	1.3	21	20	12.25	11.5	11.25

REPLACEMENT PARTS



003-CH503CYLNR



003-HDL



003-HDNL



UWS-NHPIN



003-SLLKBLK



003-002LC



UWS-LOCKING



UWS-NONLOCKING



UWS-THLOCK



UWS-TWISTLOCK



003-NHPIN



UWS-SBRACKET



UWS-TCA



UWS-BALL-STUD



UWS-JBOLTKIT



UWS-ROD-CONNECT



UWS-CAPS



UWS-LIFT-CYLIND

Part #	Description	Fits
003-CBOXMK	Chest box mounting kit	All utility chest boxes
003-CH501CYLNR	Lock cylinder and keys	Paddle handle boxes
003-CH502CYLNR	Lock cylinder and keys	Paddle handle boxes
003-CH503CYLNR	Lock cylinder and keys	Paddle handle boxes
003-CH504CYLNR	Lock cylinder and keys	Paddle handle boxes
003-CH505CYLNR	Lock cylinder and keys	Paddle handle boxes
003-CH506CYLNR	Lock cylinder and keys	Paddle handle boxes
003-CH507CYLNR	Lock cylinder and keys	Paddle handle boxes
003-CH508CYLNR	Lock cylinder and keys	Paddle handle boxes
003-CH509CYLNR	Lock cylinder and keys	Paddle handle boxes
003-CH510CYLNR	Lock cylinder and keys	Paddle handle boxes
003-HDL	Locking pull handle	Pull handle boxes
003-HDL-KEY0001	Replacement key	Pull handle boxes
003-HDL-KEY0002	Replacement key	Pull handle boxes
003-HDL-KEY0003	Replacement key	Pull handle boxes
003-HDL-KEY0004	Replacement key	Pull handle boxes
003-HDL-KEY0005	Replacement key	Pull handle boxes
003-HDL-KEY0006	Replacement key	Pull handle boxes
003-HDL-KEY0007	Replacement key	Pull handle boxes
003-HDL-KEY0008	Replacement key	Pull handle boxes
003-HDL-KEY0009	Replacement key	Pull handle boxes
003-HDL-KEY0010	Replacement key	Pull handle boxes
003-HDNL	Nonlocking pull handle	Pull handle boxes
003-NHPIN	Nail head striker pin, 1/4"	All boxes, excluding Secure Lock
003-RIVET-BLK	Black rivets , 3/16"	All boxes
003-RYTHCY-001	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes
003-RYTHCY-002	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes
003-RYTHCY-003	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes
003-RYTHCY-004	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes
003-RYTHCY-005	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes
003-RYTHCY-006	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes

* Continued while supplies last

Part #	Description	Fits
003-RYTHCY-007	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes
003-RYTHCY-008	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes
003-RYTHCY-009	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes
003-RYTHCY-010	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes
003-SLLKBLK	Lockable handle	Secure Lock boxes
003-USTRIKER	Secure lock striker	Secure Lock boxes
003-001LC	Lock core replacement	Pull handle boxes
003-002LC	Lock core replacement	Pull handle boxes
003-002THLC*	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes
003-003LC	Lock core replacement	Pull handle boxes
003-004LC	Lock core replacement	Pull handle boxes
003-004THLC*	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes
003-005LC	Lock core replacement	Pull handle boxes
003-005THLC*	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes
003-006LC	Lock core replacement	Pull handle boxes
003-006THLC*	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes
003-007LC	Lock core replacement	Pull handle boxes
003-008LC	Lock core replacement	Pull handle boxes
003-008THLC*	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes
003-009LC	Lock core replacement	Pull handle boxes
003-009THLC*	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes
003-010LC	Lock core replacement	Pull handle boxes
003-010THLC*	T-handle lock cylinder and keys	Topside, underbody, drawer, and dog boxes
UWS-BALL-STUD	10mm ball stud	All boxes with lift cylinder
UWS-BLD69A	Replacement BedRug™ liner	Secure Lock boxes (deep 69" angled)
UWS-BL69	Replacement BedRug liner	Secure Lock boxes (standard 69")
UWS-BL72	Replacement BedRug liner	Secure Lock boxes (standard 72")
UWS-BOXFOAM	Foam for bed rail protection	All crossover boxes
UWS-CABLE	12" stainless cable with eyes	Topside and underbody boxes
UWS-CAPS	Fuel cap	All transfer tanks
UWS-DSDIVIDER	Plastic divider, 3"	Drawer boxes
UWS-GRABHANDLE	Grab handle	TBC-38-DS (truck utility box with drawers)
UWS-HOOK60	Velcro hook, 1" x 60"	Secure Lock boxes
UWS-JBOLTKIT	J-bolt kit	All crossover boxes
UWS-LIFT-CYLIND	Lift cylinder	All boxes with 45 lb. lift cylinder
UWS-LOCKING	Locking paddle handle	All paddle handle boxes
UWS-MAGNETPULL	Magnetic door catch	TBC-38-DS (truck utility box with drawers)
UWS-NONLOCKING	Non locking paddle handle	All two-handle paddle handle boxes
UWS-P-TRAYS	Plastic tray	All standard crossover boxes
UWS-PULLHANDLE	Chest handles	ATV, foot locker, and tote boxes
UWS-ROD-CONNECT	Rod connector with set screw	All two-handle boxes
UWS-SBRACKET	Striker bracket	All boxes excluding TB-1 and TB-2
UWS-TCA	Top cylinder bracket assembly	All boxes with lift cylinders
UWS-THLOCK	Folding T-handle, locking	Topside, underbody, dog boxes, and fender boxes
UWS-TWISTLOCK	Twist lock	Tote boxes
UWS-1-4KEPNUT	Kep nut, 1/4"	Multiple applications
UWS-34CLOSEDCEL	MicroSeal™ gasket	Topside, underbody, dog boxes, and fender boxes
UWS-125FOAM	Truck tool box lid gasket foam	All crossover boxes
UWSLGLIFTCYLNDR	Extra long lift cylinder	Extra-wide crossover models only

* Continued while supplies last



Scan QR code to
see how we take
care of shipping!



DAMAGE-FREE DELIVERY GUARANTEED


HEAVY-DUTY PACKAGING ENSURES YOUR PRODUCT IS PROTECTED

With our heavy-duty packaging initiative, we take the extra steps needed to ensure a damage-free product. Our process is specially designed to withstand the rigors of parcel shipping, ensuring your order arrives in the same condition as it left our facility. Check out the table to view our available heavy-duty packaging options.

ADVANTAGES OF HEAVY-DUTY PACKAGING



Large products are placed in a thick, secondary box that provides double the protection



Expanding foam is used to fill the box and cradle the product, preventing movement and damage



The corners of each box are protected with foam bumpers to further protect from impacts during transport

Standard Part #	HD Pkg Part #
SL-69-LP	EC10001
SL-69-LP-MB	EC50004
SL-72-LP	EC10021
SL-72-LP-MB	EC50010
TB-60	EC10041
TB-63	EC10051
TB-69	EC50008
TB-72	EC50009
TBS-54	EC10081
TBS-54-BLK	EC10092
TBS-54-LP	EC10101
TBS-54-LP-BLK	EC10112
TBS-58-LP	EC10141
TBS-58-LP-BLK	EC10152
TBS-60	EC10161
TBS-60-A	EC10171
TBS-60-A-BLK	EC10182
TBS-60-A-LP	EC10191
TBS-60-A-LP-BLK	EC10202
TBS-60-BLK	EC10212
TBS-60-LP	EC10221
TBS-60-LP-BLK	EC10232
TBS-60-SL	EC10241
TBS-60-SL-BLK	EC10252
TBS-63	EC10261
TBS-63-A	EC10271
TBS-63-A-BLK	EC10282
TBS-63-A-LP	EC10291
TBS-63-A-LP-BLK	EC10302
TBS-63-SL-LP	EC10311
TBS-63-SL-LP-B	EC10312
TBS-63-A-LP-MB	EC50005
TBS-63-BLK	EC10322
TBS-63-LP	EC10331
TBS-63-LP-BLK	EC10342
TBS-63-SL	EC10351
TBS-63-SL-BLK	EC10362
TBS-66	EC10371
TBS-66-BLK	EC10382
TBS-66-LP	EC10391
TBS-66-LP-BLK	EC10402
TBS-69	EC50007
TBS-69-A-LP	EC10421
TBS-69-A-LP-BLK	EC10432
TBS-69-BLK	EC10442
TBS-69-LP	EC50003
TBS-69-LP-BLK	EC10462
TBS-69-LP-MB	EC50001
TBS-69-LP-PH	EC10481
TBS-69-LP-PH-B	EC10492
TBS-69-LP-PH-MB	EC10503
TBS-69-MB	EC10513
TBS-69-SL	EC10521
TBS-69-SL-BLK	EC10532
TBS-69-SL-LP	EC10541
TBS-69-SL-LP-B	EC10552
TBS-72	EC50006
TBS-72-BLK	EC10572
TBS-72-LP	EC10581
TBS-72-LP-BLK	EC10592

Standard Part #	HD Pkg Part #
TBS-72-LP-MB	EC50002
TBS-72-LP-PH	EC10611
TBS-72-LP-PH-B	EC10622
TBS-72-LP-PH-MB	EC10633
TBS-72-MB	EC10643
TBS-72-SL	EC10651
TBS-72-SL-BLK	EC10662
TBSD-69-A-LP	EC10761
TBSD-69-A-LP-B	EC10772
TBSD-69-A-LP-MB	EC10783
TBSD-69-LP	EC10791
TBSD-69-LP-BLK	EC10802
TBSD-69-SL	EC10811
TBSD-69-SL-BLK	EC10822
TBSD-69-SL-LP	EC10831
TBSD-69-SL-LP-B	EC10842
TBSD-72-SL-LP	EC10871
TBSD-72-SL-LP-B	EC10882
UTV-59-MB	EC10893
8500002	EC10893-CA
8500004	EC10893-HP
8500003	EC10893-KM
8500000	EC10893-PR
8500001	EC10893-YV
UTV-59PR-MB	EC10903
8500005	EC10903-PR
UTV-SM33-MB	EC10993
SL-63-A-LP	EC11021
SL-63-A-LP-MB	EC11023
ATV	EC20001
ATV-BLK	EC20012
DS-18	EC20021
DS-18-BLK	EC20032
DS-22	EC20041
DS-22-BLK	EC20052
FOOT-LOCKER	EC20061
FOOT-LOCKER-BLK	EC20072
FWB-58	EC20081
FWB-58-BLK	EC20092
FWB-58-MB	EC20093
TB-1	EC20101
TB-2	EC20111
TBC-30	EC20121
TBC-30-BLK	EC20132
TBC-36	EC20141
TBC-36-BLK	EC20152
TBC-36-W	EC20161
TBC-36-W-BLK	EC20172
TBC-42	EC20201
TBC-42-BLK	EC20212
TBC-42-W	EC20221
TBC-42-W-BLK	EC20232
TBC-48	EC20241
TBC-48-BLK	EC20252
TBC-48-DD	EC20261
TBC-48-W	EC20271
TBC-48-W-BLK	EC20282
TBC-55-W	EC20291
TBC-55-W-BLK	EC20302
TBC-55-WN	EC20311

Standard Part #	HD Pkg Part #
TBC-55-WN-BLK	EC20322
TBC-60-N	EC20331
TBC-60-N-BLK	EC20342
TBC-60-W	EC20351
TBC-60-W-BLK	EC20362
TBC-62-WN	EC20371
TBC-62-WN-BLK	EC20382
TBV-34	EC20391
TBV-34-BLK	EC20402
TBV-34-LP	EC20411
TBV-34-LP-BLK	EC20422
TBV-49	EC20431
TBV-49-BLK	EC20442
SLC-48	EC20501
SLC-48-MB	EC20503
FW-48-DS-D	EC30001
FW-48-DS-D-BLK	EC30012
FW-48-DS-P	EC30021
FW-48-DS-P-BLK	EC30032
TBSM-36	EC30071
--	EC30071-MK2
TBSM-36-BLK	EC30082
--	EC30082-MK2
TBSM-48	EC30091
--	EC30091-MK2
TBSM-48-BLK	EC30102
--	EC30102-MK2
TBSM-60	EC30111
--	EC30111-MK2
TBSM-60-BLK	EC30122
--	EC30122-MK2
TBSM-72	EC30131
--	EC30131-MK2
TBSM-72-BLK	EC30142
--	EC30142-MK2
TBSM-48-LP	EC30201
--	EC30201-MK2
TBSM-48-LP-BLK	EC30202
--	EC30202-MK2
TBSM-48-LP-MB	EC30203
--	EC30203-MK2
TBSM-36-LP	EC30361
--	EC30361-MK2
TBSM-36-LP-BLK	EC30362
--	EC30362-MK2
TBSM-36-LP-MB	EC30363
--	EC30363-MK2
TBTS-48	EC40001
TBTS-48-BLK	EC40012
TBTS-60	EC40021
TBTS-60-BLK	EC40032
TBTS-72	EC40041
TBTS-72-BLK	EC40052
TBUB-24	EC40061
TBUB-30	EC40071
TBUB-36	EC40081
TBUB-36-BLK	EC40092
TBUB-48	EC40101
TBUB-60	EC40111

-MK2 part #s include adjustable side mount legs



SYLVANIA
SYLVANIA



Scan QR code to
view more information
about our products



**DAMAGE-FREE DELIVERY
GUARANTEED!**



UWS
PROUDLY DESIGNED,
FABRICATED & WELDED
IN FLORIDA
SUPPORTING THE TRADES
SINCE 1989



**PATENTED DIBLOCORE
FOAM-FILLED LID**

**MARKETING
SUPPORT**


UWS UNIVERSITY

UWS University is a self-service learning tool for UWS products and resources that provides easy access to nearly all of our marketing support materials. It is designed to educate our customers to enhance their sales and grow their business!



Scan or visit
uwsta.com/university

POINT-OF-PURCHASE



Catalog



Banner



Window sticker



Display signage

Literature & Catalog

- Accordion-fold literature (8-1/2' x 3-1/2') focuses on educating the consumer about the advantages of UWS tool boxes
- The catalog provides a complete listing of UWS products and vehicle applications
- Clear plastic stands available for displaying literature

Banner & Retail Signage

- Bold graphics and clear messaging to draw attention to your store
- Banner for use in-store and outdoors to help identify and promote your UWS tool box offering

Display & Signage

- Floor stand display can mount various tool boxes
- Promotional placards for use on display stands or as in-store signage to help promote key UWS tool box features. Set includes:
 - Header card
 - Tool tray insert
 - Built-in features insert
 - Product features header
- Contact your UWS sales representative to determine the products best tailored to your needs



Display stand with included header card (tool boxes sold separately)

Contact your sales representative for a complete list of available items and how to qualify.



LIMITED WARRANTY

WHO IS THE WARRANTOR?

Lippert Components, Inc. d/b/a UWS, located at 3501 County Road 6, Elkhart, IN 46514 (hereinafter "UWS"), is the warrantor under the UWS Limited Warranty ("Limited Warranty").

WHOM DOES THIS LIMITED WARRANTY COVER?

This Limited Warranty covers only the original retail purchaser of the Covered Product ("Covered Purchaser") and applies only to the original installation. Coverage is not assignable or transferable.

WHEN DOES COVERAGE BEGIN?

Coverage under this Limited Warranty begins on the date of retail purchase of a Covered Product by the Covered Purchaser ("Purchase Date") and lasts for the periods of time specified below.

WHAT DOES THIS LIMITED WARRANTY COVER AND FOR HOW LONG?

This Limited Warranty provides coverage for a UWS manufactured product that meets all the following conditions: (1) it is sold by UWS, (2) it is purchased from UWS by a Covered Purchaser, and (3) it is installed in the United States by a Covered Purchaser (collectively, "Covered Product"):

Product	Workmanship & Materials	Components & Parts	Finishings & Coatings
All storage boxes	Lifetime	1-year	1-year
Other accessories	1-year	1-year	1-year

Anything replaced under this Limited Warranty, including any parts used in covered warranty repairs, will be warranted for the remaining balance of the Covered Product's warranty coverage period.

WHAT WILL UWS DO UNDER THIS LIMITED WARRANTY?

UWS will have all covered, warrantable defects in materials or workmanship repaired or replaced (at UWS' sole discretion), free of charge. With respect to replacement, UWS has the right (at UWS' sole discretion) to replace with a new or refurbished product.

Further, UWS' above obligations for any Covered Product are subject to the conditions, limitations and exclusions set out herein in this Limited Warranty, including but not limited to the following:

- This Limited Warranty does not cover, and UWS will not pay, labor charges connected with installation of replacement parts or freight expenses to and from UWS in shipping damaged Covered Products or replacement parts.
- UWS' liability under this Limited Warranty shall in no event exceed the price paid by the Covered Purchaser (excluding freight), and UWS shall have no liability except to repair or replace the Covered Product.
- **UWS' OBLIGATIONS WITH RESPECT TO COVERED DEFECTS IN MATERIALS AND WORKMANSHIP ARE LIMITED ONLY TO PROVIDING THE ABOVE REMEDIES. UNDER NO CIRCUMSTANCES WILL A COVERED PURCHASER BE ENTITLED TO A CASH REFUND.**

WHAT IS NOT COVERED UNDER THIS LIMITED WARRANTY?

This Limited Warranty does not cover, and UWS has no obligations under this Limited Warranty, for the following:

- A. Any failure of or damage to the Covered Product caused by or resulting from any intentional or negligent actions, vandalism, improper use, or care.
- B. Installation of the Covered Product.
- C. Any failure of or damage to the Covered Product caused by or resulting from installation or any poor, faulty, or incorrect maintenance.
- D. Any failure of or damage to the Covered Product caused by failure to perform Proper Use (defined below).
- E. Any failure of or damage to the Covered Product caused by or resulting from an accident (including but not limited to force majeure or natural forces).
- F. Any failure of or damage, to the Covered Product caused by or resulting from impact damage or road hazards.
- G. Any failure of or damage to the Covered Product caused by or resulting from shipment (even when UWS arranged or paid for the shipping).
- H. Any failure of or damage to the Covered Product caused by or resulting from normal wear and tear.
- I. Any failure of or damage to the Covered Product caused by or resulting from maintenance, repairs, or modification other than those carried out by UWS.
- J. Any failure of or damage to the Covered Product caused by color fade, mold, mildew, corrosion, rust formation, pre-existing fiberglass, rust or water damage.
- K. Any chemical damage to the Covered Product caused by acids, fuel, oil, or other chemicals.
- L. Freight expenses to and from UWS in shipping damaged or replacement parts.
- M. Any failure of or damage to the Covered Product caused by any and all items and components not sold by UWS but attached to, incorporated into, or using a Covered Product.

Further, this Limited Warranty also excludes claims based on any misrepresentations by the Covered Purchaser; or if the Covered Product's serial number has been altered, defaced, removed or rendered unidentifiable. This Limited Warranty is only valid in the country of purchase.

WHAT ARE THE RESPONSIBILITIES OF THE COVERED PURCHASER UNDER THIS LIMITED WARRANTY?

- A. Before any claims may be made under this Limited Warranty, the Covered Purchaser must have paid in full for the Covered Product, according to the terms and conditions of the payment terms defined in the original order. **IF THE COVERED PURCHASER HAS FAILED TO MAKE FULL PAYMENT ACCORDING TO THE SPECIFIC PAYMENT TERMS FOR THE COVERED PRODUCT, THIS LIMITED WARRANTY SHALL BE NULLIFIED AND UWS SHALL BE RELIEVED FROM ANY RESPONSIBILITY OR LIABILITY UNDER THIS LIMITED WARRANTY.** The Covered Purchaser agrees and acknowledges that this Limited Warranty constitutes an executory contract.
- B. The Covered Purchaser must use care in installation, maintenance, operation, use, and storage of the Covered Product, in accordance with any owner's manual, instructions, or guides for the Covered Product (hereinafter "Proper Use").



LIMITED WARRANTY

HOW DOES A COVERED PURCHASER OBTAIN SERVICE UNDER THIS LIMITED WARRANTY?

If a Covered Purchaser believes a Covered Product is defective and requires service, it should contact UWS by emailing it at productsupport@curtgroup.com or by calling (877) 287-8634.

UWS requires the following information to consider a warranty request:

- Name, address, and location of the Covered Product;
- Proof of purchase, including date of purchase and install date, if applicable;
- Detailed description of concern;
- Photographs of concern;
- Photograph of any applicable serial number, tags or markings; date code and
- Commitment to allow UWS to access any components for inspection.

Covered Purchaser must notify UWS of any claims within the Limited Warranty coverage periods described in this Limited Warranty. Covered Purchaser must provide notice of the alleged defect in writing within thirty (30) days of its discovery.

Moreover, Covered Purchaser may also be required to purchase replacement parts with reimbursement occurring after the defective parts are returned to UWS for inspection and confirmed as faulty. Covered Purchaser must obtain a return authorization form from UWS' customer service department prior to the return of any merchandise and after having received such authorization, return the part or product, freight prepaid, to UWS.

WHAT OTHER CONDITIONS OR LIMITATIONS APPLY TO THIS LIMITED WARRANTY?

THIS LIMITED WARRANTY DOES NOT COVER ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF VALUE OF THE COVERED PRODUCT, LOST PROFITS OR EARNINGS, OUT-OF-POCKET EXPENSES, EXPENSES ASSOCIATED WITH RETURNING THE COVERED PRODUCT TO AN AUTHORIZED DEALER, SERVICE PROVIDER, OR UWS, EXPENSES ASSOCIATED WITH RETURNING THE COVERED PRODUCT TO ITS OWNER, LOSS OR DAMAGE TO REAL OR PERSONAL PROPERTY, LOSS OF TIME, OR INCONVENIENCE.

Some states do not allow the exclusion of limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

THIS LIMITED WARRANTY IS THE ONLY EXPRESS WARRANTY MADE IN CONNECTION WITH THE SALE OF THE COVERED PRODUCT. ANY IMPLIED WARRANTY, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS LIMITED IN DURATION TO THE STATED PERIOD OF THIS LIMITED WARRANTY, EXCEPT IF THE DURATION OF IMPLIED WARRANTIES IS LIMITED BY STATE LAW, THE DURATION IS LIMITED TO THE LENGTH STATED IN THIS LIMITED WARRANTY OR THE LENGTH STATED IN THE STATE LAW LIMITATIONS, WHICHEVER IS SHORTER. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE FACE OF THIS DOCUMENT.

Some States do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

UWS reserves the right to change the design of the Covered Product from time to time without notice and without obligation to make corresponding changes in its products previously manufactured.

UWS does not authorize any person or company to alter the terms of this Limited Warranty. Any alteration of this Limited Warranty is only effective if signed in writing by UWS.

THIS LIMITED WARRANTY ONLY COVERS DEFECTS IN MATERIALS OR WORKMANSHIP AS DESCRIBED HEREIN. THIS LIMITED WARRANTY DOES NOT COVER DEFECTS IN DESIGN.

WHAT ARE THE LEGAL REMEDIES UNDER THIS LIMITED WARRANTY?

THIS LIMITED WARRANTY SHALL BE INTERPRETED AND CONSTRUED IN ACCORDANCE WITH THE LAWS OF THE STATE OF INDIANA, WITHOUT GIVING EFFECT TO ANY CONFLICT OF LAW RULE THAT WOULD RESULT IN THE APPLICATION OF THE LAWS OF A DIFFERENT JURISDICTION.

ANY LEGAL DISPUTE RELATING TO THIS LIMITED WARRANTY, INCLUDING BUT NOT LIMITED TO AN ALLEGED BREACH OF WARRANTY, BREACH OF IMPLIED WARRANTIES, OR REPRESENTATIONS OF ANY KIND, WHETHER SUCH CLAIMS SOUND IN CONTRACT, TORT, OR STATUTE (INCLUDING THE STATUTE OF LIMITATIONS), MUST BE FILED IN A COURT WITHIN THE STATE OF INDIANA, AND SUCH A COURT WILL HAVE EXCLUSIVE JURISDICTION TO HEAR SUCH A DISPUTE.

ANY ACTION FOR BREACH OF THIS LIMITED WARRANTY OR ANY IMPLIED WARRANTY OR REVOCATION OF ACCEPTANCE OR ANY ACTION TO ENFORCE ANY PORTION OF THIS LIMITED WARRANTY MUST BE COMMENCED WITHIN NINETY (90) DAYS OF THE EXPIRATION OF THE APPLICABLE LIMITED WARRANTY COVERAGE PERIOD.

BEFORE FILING ANY ACTION, THE COVERED PURCHASER MUST PROVIDE WRITTEN NOTICE TO UWS AND EXHAUST ITS RIGHTS TO REQUEST FROM UWS THAT UWS REPAIR OR REPLACE ANY COVERED PRODUCT ALLEGED TO BE DEFECTIVE IN MATERIALS OR WORKMANSHIP.

ANY AUTHORIZATION OR PERFORMANCE OF REPAIRS, ATTEMPTS TO RESOLVE A COMPLAINT, OR REQUEST FOR WARRANTY SERVICE SHALL NOT CONSTITUTE A WAIVER OF UWS'S RIGHTS AND SHALL NOT EXTEND THE LIMITED WARRANTY COVERAGE PERIOD OR WHEN THE COVERED PURCHASER MUST COMMENCE AN ACTION TO ENFORCE ANY CLAIM, UNLESS PROHIBITED BY STATE LAW.

HOW DOES STATE LAW RELATE TO THIS LIMITED WARRANTY?

This Limited Warranty gives you specific legal rights, and you may also have other rights which vary from state to state.



CONNECT WITH US



PHONE
877.287.8634



WEB
UWSTA.COM



SOCIAL MEDIA
@CURTMFG / #UWS

LOCATIONS

HEADQUARTERS

6208 INDUSTRIAL DRIVE
EAU CLAIRE, WI 54701

DALLAS

3535 N HOUSTON SCHOOL ROAD
SUITE 400
LANCASTER, TX 75134

EDMONTON

12642 184TH STREET NW
UNIT #28
EDMONTON, ALBERTA T5V 1T4

PERRY

606 INDUSTRIAL PARK DRIVE
PERRY, FL 32348

LAS VEGAS

5450 NORTH SLOAN LN
NORTH LAS VEGAS, NV 89115

TORONTO

845 INTERMODAL DRIVE
UNIT #1
BRAMPTON, ON L6T0C6